

FIG. 1A




FIG. 1B











FIG. 1C






09898513.070301






0989513.070301



099586860-0000



0986513.07301



09895513.070301

FIG. 2A

LYMPHOCYTES




FIG. 2B

GRANULOCYTES




FIG. 2C

MONOCYTES




FIG. 2D

LYMPHOCYTES




FIG. 2E

GRANULOCYTES




FIG. 2F

MONOCYTES




FIG. 2G

LYMPHOCYTES




FIG. 2H

GRANULOCYTES





FIG. 2I

MONOCYTES



FOE020" ETS86860

FIG. 2J

LYMPHOCYTES




FIG. 2K

GRANULOCYTES





FIG. 2L

MONOCYTES



Flow cytometry histogram showing the distribution of cells in the PBS control. The y-axis is labeled 'FL2-H' and ranges from 10^0 to 10^4 . The x-axis is labeled 'ANTI-FLAG' and ranges from 10^0 to 10^4 . The plot shows a dense cluster of cells in the lower-left quadrant, indicating low fluorescence in both channels. A vertical gate line is present at approximately 10^1 on the ANTI-FLAG axis.

FIG. 3D




FIG. 3E





FIG. 3F



0089513.07301

FIG. 3G




FIG. 3H





FIG. 3I



0988513.070301




FIG. 4




FIG. 5




FIG. 6A




FIG. 6B